



**2023 Cyanobacteria Monitoring Report for
Town of Brewster and Brewster Ponds Coalition,
Massachusetts**

December 20, 2023

**Prepared for the Town of Brewster and the Brewster Ponds Coalition
P.O. Box 459, Brewster, MA 02631**

Contact: Marty Burke, marty.burke@brewsterponds.org

**Prepared by the Association to Preserve Cape Cod
482 Main Street, Dennis, MA 02638
Phone: (508) 619-3185**

apcc.org

Contact: Dr. Julie Hambrook at jhambrook@apcc.org

Table of Contents

Section Name	Page
1. SUMMARY	4
2. BACKGROUND	5
3. METHODS	5
Overview	5
Sampling Locations	7
Water Sampling	7
Field Observations	9
Lab Analysis	9
Interpretation of Results	10
Recommendations for Posting Use Restrictions and Advisories	13
Reporting	13
4. RESULTS	14
Bakers Pond	14
Blueberry Pond	15
Cliff Pond	16
Cobbs Pond	17
Elbow Pond	18
Greenland Pond	19
Griffiths Pond	20
Lower Mill Pond	20
Long Pond	21
Myricks Pond	22
Owl Pond	23
Pine Pond	24
Schoolhouse Pond	25
Seymour Pond	26
Sheep Pond	27
Slough Pond	28
Smalls Pond	28
Upper Mill Pond	29
Walkers Pond	30
5. CONCLUSIONS	32
6. RECOMMENDATIONS	32
7. ACKNOWLEDGEMENTS	34

8. REFERENCES	34
---------------	----

APPENDICES

Appendix 1. Resources on Cyanobacteria	37
Appendix 2. APCC’s Cyanobacteria Risk Categories	38
Appendix 3. Brester ponds Cyanobacteria Risk Comparison	39
Appendix 4. Sampling Locations	46

List of Tables and Figures

Table 1. Summary of Cyanobacteria Monitoring Results for Bakers Pond, Brewster	14
Table 2. Summary of Cyanobacteria Monitoring Results for Blueberry Pond, Brewster	15
Table 3. Summary of Cyanobacteria Monitoring Results for Cliff Pond, Brewster	16
Table 4. Summary of Cyanobacteria Monitoring Results for Cobbs Pond, Brewster	17
Table 5. Summary of Cyanobacteria Monitoring Results for Elbow Pond, Brewster	18
Table 6. Summary of Cyanobacteria Monitoring Results for Greenland Pond, Brewster	19
Table 7. Summary of Cyanobacteria Monitoring Results for Griffith’s Pond, Brewster	20
Table 8. Summary of Cyanobacteria Monitoring Results for Lower Mill Pond, Brewster	21
Table 9. Summary of Cyanobacteria Monitoring Results for Long Pond, Brewster	22
Table 10. Summary of Cyanobacteria Monitoring Results for Myricks Pond, Brewster	23
Table 11. Summary of Cyanobacteria Monitoring Results for Owl Pond, Brewster	24
Table 12. Summary of Cyanobacteria Monitoring Results for Pine Pond, Brewster	24
Table 13. Summary of Cyanobacteria Monitoring Results for Schoolhouse Pond, Brewster	25
Table 14. Summary of Cyanobacteria Monitoring Results for Seymour Pond, Brewster	26
Table 15. Summary of Cyanobacteria Monitoring Results for Sheep Pond, Brewster	27
Table 16. Summary of Cyanobacteria Monitoring Results for Slough Pond, Brewster	28
Table 17. Summary of Cyanobacteria Monitoring Results for Smalls Pond, Brewster	29
Table 18. Summary of Cyanobacteria Monitoring Results for Upper Mill Pond, Brewster	29
Table 19. Summary of Cyanobacteria Monitoring Results for Walkers Pond, Brewster	31
Figure 1. Sampling Locations for Brewster Pond Coalition in 2023	7



2023 Cyanobacteria Monitoring Report for Brewster ponds, Brewster, Massachusetts

Prepared for the Town of Brewster and Brewster Ponds Coalition
By the Association to Preserve Cape Cod

December 20, 2023

1. SUMMARY

In 2023, the Association to Preserve Cape Cod (APCC) continued cyanobacteria monitoring in Brewster for the Brewster Ponds Coalition (BPC) and Town of Brewster following similar monitoring conducted in 2018 through 2022. From May 31 through November 1, 2023, APCC conducted biweekly sampling in collaboration with BPC at 19 sampling locations (see Appendix 4 for a list of all sampling locations). BPC and APCC conducted 245 sampling events and collected a total of 245 samples and analyzed samples for cyanobacteria composition and phycocyanin, a cyanobacteria pigment that provides a measure of cyanobacteria biomass.

APCC utilizes a three-level risk characterization system known as “Risk Categories” to describe the results of cyanobacteria monitoring in terms of low, moderate, and high potential risks to human health and pets exposed to harmful cyanobacteria blooms (HCBs). The three Risk Categories are: “Acceptable” (low risk), “Potential for Concern” (moderate risk for humans and pets), and “Use Restriction Warranted” (high risk for humans and pets). In 2022, APCC incorporated complementary microcystin testing from the Barnstable County Department of Health and the Environment Water Quality Lab (County Lab), a state-certified laboratory, and toxin testing continued this year. Samples characterized by APCC as at risk for exceedance of the Massachusetts Department of Public Health (MDPH) guidelines for microcystin in recreational waters of 8 parts per billion (ppb) were sent to the County Lab for confirmatory testing of microcystin. The County Lab then communicated confirmation of microcystin risks in terms of the state limit to APCC and the town health department.

During the 2023 monitoring season, cyanobacteria levels in Myricks Pond, Seymour Pond, Sheep Pond, and Walkers Pond reached APCC’s “Potential for Concern” Risk Category. APCC sent six water samples from Cliff Pond, Myricks Pond, and Walkers Pond to the County Lab for testing for microcystin. None of the samples exceeded the state guidelines of eight ppb. APCC shared all monitoring results with BPC, the Town of Brewster, and the public throughout the season via emailed updates, e-newsletters, frequent updates to our online map at <https://apcc.org/our-work/science/community-science/cyanobacteria/>, and written reports, including this report. This document should be printed in color, as some sections are color-coded.

2. BACKGROUND

APCC's Cyanobacteria Monitoring Program partners with officials at the town, county, state, and federal levels as well as local pond associations and residents to conduct cyanobacteria monitoring in select Cape Cod ponds. Each season, water samples are collected and processed biweekly and shared with local officials and the general public through reports, emails, and an interactive map of monitoring results provided on our website (<https://apcc.org/cyano>). Our goals are to raise public awareness of the health and ecological risks posed by harmful cyanobacteria blooms (HCBs), to help inform proper responses to cyanobacteria blooms to protect public health, to monitor priority ponds across the Cape, and to motivate public action to address the causes of HCBs by improving water quality.

Cyanobacteria are an ancient group of photosynthetic microorganisms common in freshwater systems on Cape Cod, in the U.S., and worldwide. Under the right conditions, they can multiply rapidly and form harmful cyanobacteria blooms. According to the Centers for Disease Control and Prevention (CDC), certain common cyanobacteria genera can produce toxins known as cyanotoxins that can be harmful to humans ([CDC](#)). HCBs have increased worldwide, including in the U.S., due to nutrient enrichment and rising water temperatures due to climate change. As the occurrence of HCBs increases, so too has the need for cyanobacteria monitoring and awareness of potential health risks increased. Additional resources on cyanobacteria are provided in Appendix 1.

Cape Cod ponds are commonly used for recreation, including swimming, boating, paddle boarding, and fishing, as well as for dog walking and swimming. Due to the increasing prevalence of HCBs and the resulting increased threat of public exposure to cyanobacteria and their toxins, MDPH provides guidelines for municipal officials to post and remove advisories at ponds based on established thresholds for cyanobacteria risks in recreational waters ([MDPH](#)). Frequent cyanobacteria monitoring of ponds provides fact-based data for resource managers to track cyanobacteria trends in their ponds throughout the season, apply relevant public health criteria, and proactively post and remove recreational advisories. Cyanobacteria monitoring data also provide information on pond health and water quality and help to address data gaps caused by lack of conventional pond water quality monitoring data.

3. METHODS

Overview

APCC's Cyanobacteria Monitoring Program provides scientifically sound data on cyanobacteria community composition, biomass, and estimated toxin concentrations. Our program utilizes the EPA-approved Quality Assurance Project Plan (QAPP) for cyanobacteria monitoring, developed by EPA for the Cyanobacteria Monitoring Collaborative or CMC ([CMC QAPP](#)). The CMC QAPP was developed by EPA Region 1 scientists, including Hillary Snook and others, with the goal of encouraging and facilitating widespread monitoring of cyanobacteria. The QAPP is based

on methods created by EPA scientists and other cyanobacteria specialists, including Dr. James Haney at the University of New Hampshire Center for Freshwater Biology and Nancy Leland of Lim-Tex, Inc. The method involves taking concentrated samples of “Bloom Forming Colonies” (BFCs) of cyanobacteria from the pond using a 3-meter student plankton net tow and unconcentrated samples of “Whole Lake Water” (WLW) using a 1-meter integrated tube. Samples are then examined for cyanobacteria composition using microscopy. Cyanobacteria composition is important to document because toxicity varies according to cyanobacteria genus. Samples are also analyzed for phycocyanin concentrations using fluorometry. Phycocyanin is an algal pigment produced by cyanobacteria, different and distinct from chlorophyll, which is produced by algae and plants. Phycocyanin concentrations provide a measure of cyanobacteria biovolume and abundance. The combination of information on composition (obtained through microscopy) and information on cyanobacteria pigment concentrations enables an estimation of risk posed by cyanobacteria at the time of monitoring.


APCC also utilizes the CyanoCasting method developed by Nancy Leland ([Leland, 2018](#)), which builds on the methods described in the QAPP by including metrics that allow for the forecasting of potential imminent cyanobacteria blooms and estimates of cyanotoxin (i.e., microcystin) concentrations. The forecasting ability of this method provides valuable advance warnings of potential HCBs to inform proactive responses, such as increased sampling frequency or precautionary advisories of ponds to warn the public of the potential for cyanobacteria blooms. The ability to anticipate potential HCBs and estimate their microcystin concentrations based on frequent monitoring is a unique and valuable feature of APCC’s program and stands in contrast to reactive responses involving measurement of cyanobacteria concentrations after a bloom has occurred ([Leland et al. 2018](#), [Leland et al 2019](#)).

As a complement to APCC’s established monitoring program, the County Lab provides cyanobacteria toxin testing to provide local officials with precise microcystin toxin measurements from ponds pre-screened by APCC as potentially containing cyanobacteria toxin levels of concern. This is the second year that the County Lab has provided this valuable service. The screening process was as follows: At each cyanobacteria sampling event, APCC collected separate water samples for toxin analysis if needed. APCC then analyzed cyanobacteria as described above and used the results to screen each pond. If samples had cyanobacteria results (i.e., risk categories) that indicated a possibility of an exceedance of state microcystin guidelines (i.e., 8 ppb for recreational waters), APCC sent the separate water samples to the County Lab to conduct confirmatory toxin testing of microcystin, one type of cyanobacteria toxin. Toxin test results were then used to determine whether an advisory was warranted. If so, APCC provided a recommendation to the local health official to post an advisory. Local health officials are responsible for deciding whether to post advisories and often rely on consultation with MDPH. To assist with decision-making, APCC conducted follow-up monitoring that included information on when cyanobacteria levels decreased to the point where an advisory, if posted, could be lifted.

Sampling Locations

This season, at least 228 samples were collected at each location on a bi-weekly basis between May 31 and November 1, 2023. Samples were collected for the Town of Brewster and Brewster Pond Coalition at the locations shown in Figure 1.

Figure 1. All Sampling Locations for Brewster Ponds Coalition in 2023.



Water Sampling

Water samples were collected by APCC staff and interns on a biweekly schedule, between May 31 and November 1, 2023. At each sampling event, three samples were collected from shore, a Whole Lake Water sample collected using a 1-meter tube, a Bloom Forming Colonies sample collected using a 50-micron (um) mesh student plankton net, and a third grab sample for toxin testing (if needed) collected in a glass bottle with a PTFE-lined lid. When cyanobacteria bloom material was found, a sample of the bloom material was taken for additional analysis.

Between May 31, 2023, and November 1, 2023, APCC conducted 12 biweekly sampling events at each of the 19 locations for a total of 228 sampling events. Throughout the season extra off-

week samples were taken if there was a concern that an HCB could occur between the scheduled biweekly sampling events. This season there was a total of 17 extra samples taken at nine of ponds. The types of samples collected are described below.

Whole Lake Water (WLW) Sample

The pond water sample that is collected using the 1-meter tube is called the Whole Lake Water (WLW) sample. This is an unconcentrated water sample containing cyanobacteria from the full extent of the 1-meter sampling depth from the pond surface to just above the bottom near shore. This sample is processed by APCC staff to obtain data on cyanobacteria size fractions in the water column. This process is further explained in the “Lab Analysis” section. This sample is not used to forecast future bloom accumulations, as it contains cyanobacteria currently in the water column near shore.

Bloom Forming Colonies (BFC) Sample

The second sample, which is collected using the student plankton net, is called the Bloom Forming Colonies (BFC) sample. This is a concentrated sample of cyanobacteria and algae obtained by towing the student plankton net across a 3-meter cast near the surface. This sample contains larger cyanobacteria colonies which tend to form visible blooms and scums. This sample creates an artificial cyanobacteria accumulation similar to a natural cyanobacteria accumulation that may occur on a pond if the wind condensed cyanobacteria over a distance of three (3) meters into a potentially harmful accumulation near shore. Nearshore accumulations of cyanobacteria are considered to pose a higher risk because this is where children and pets typically interact with the pond.

The concentrations of cyanobacteria in BFC samples can fluctuate dramatically and sudden and steady increases of cyanobacteria concentrations in BFC samples can foreshadow cyanobacteria bloom formation in the near future. Understanding the toxin concentrations of this sample can provide information on the likelihood of a future microcystin exceedance. This concept is discussed in more detail below.

Toxin Sample

The third sample is a simple grab sample of pond water collected using a 125 milliliter (mL) amber glass bottle with a PTFE-lined cap. This sample is called the toxin sample. When APCC’s metrics using cyanobacteria composition and concentration indicate a likelihood that microcystin concentrations may exceed 8 ppb, APCC delivers this sample to the County Lab for analysis of microcystin.

Cyanobacteria Scum Sample

The fourth sample, taken only when needed, is called the scum sample and may contain cyanobacteria bloom material. Although visual evidence alone of potential cyanobacteria bloom material can be compelling, microscope and fluorometry analysis of the material is needed to confirm whether the material is indeed a cyanobacteria bloom rather than an accumulation of

other algae, diatoms, etc. Microscope analysis of the bloom material also provides information on the genus of cyanobacteria making up the bloom, providing an understanding of the types of toxins that may be present. For example, the cyanobacteria genus *Microcystis* is known to produce microcystin that is a liver toxin, while the genus *Dolichospermum* is known to produce a different toxin called anatoxin, a neurotoxin of concern for which there is not yet an MDPH standard.

Field Observations

APCC staff documented field conditions at each sampling event by completing field data sheets with information on weather, visual appearance of pond surface, water temperature, etc. Photographs were taken of the pond's shoreline at each sampling event, providing documentation of pond appearance and visible conditions and evidence of bloom accumulations.

Lab Analysis

Sample processing

On the same day as sample collection, APCC processed and analyzed samples following our protocol. Triplicate 5 milliliter (mL) subsamples were taken from each of the 3-4 sample types: the WLW sample, the < 50 micron (μm) sample, the BFC sample, and the scum sample when possible, cyanobacteria bloom material was discovered. The < 50 μm sample was isolated by filtering the WLW sample through a 50 micron (μm) filter, which resulted in a sample containing only the relatively small colonies of cyanobacteria. Smaller cyanobacteria, known as pico-cyanobacteria in the size range of 0.2 to 2 μm , are also believed to produce cyanotoxins at levels that may be of concern. While APCC's analytical methods do not currently address the pico fraction of cyanobacteria, future work may, if warranted, consider this potential source of cyanotoxins. The WLW and scum samples were processed without further action. The BFC sample was further separated through the use of Zapprs (see EPA QAPP, [CMC QAPP](#)).

Microscopy

Using light microscopy, APCC staff and interns counted colonies of cyanobacteria from a 1-mL sample from the BFC sample up to 100 colonies per mL. The information was used to estimate dominance of different cyanobacteria genera. If one genus was found to be the "dominant genus" (defined as 70% of the cyanobacteria community on the slide), then APCC targeted the toxins produced by that genus of cyanobacteria as the toxins of concern for that pond at that time. If a scum sample was taken, APCC also analyzed it under the microscope to inspect genus composition and to confirm whether the scum was indeed composed of cyanobacteria.

Fluorometry to measure phycocyanin pigments

Each triplicate 5 mL sample was frozen and thawed for the purpose of lysing cells to liberate cyanobacteria pigments. Samples were then analyzed for cyanobacteria pigments (phycocyanin) and non-cyanobacteria algal pigments (chlorophyll-a) using a calibrated fluorometer in parts per billion (ppb). APCC uses phycocyanin concentrations in micrograms per liter ($\mu\text{g/L}$) as an

indicator of cyanobacteria biomass rather than cell counts. Understanding cyanobacteria concentrations using fluorometry allows APCC to track cyanobacteria community trends over time. All data were stored on APCC's online server.

Microcystin testing by County Lab

At each sampling event, APCC collected extra samples for analysis of microcystin if cyanobacteria risk levels were in the "Use Restriction Warranted" category. To ensure that samples for toxin testing were collected on the same date, time, and place as samples for cyanobacteria monitoring, APCC collected GRAB samples for toxin analysis at the same time and location as our samples for cyanobacteria analyses. Samples for toxin analyses were collected and preserved according to MDPH and EPA protocols ([Local Public Health Institute of Massachusetts, Method 546](#)). In the event that APCC's cyanobacteria data indicated the likelihood of a microcystin exceedance, the corresponding GRAB sample(s) were sent to the County Lab for toxin analysis. The County Lab then analyzed the sample for microcystin and then forwarded toxin test results and recommendations of a recreational advisory, when warranted, to local officials and APCC. Toxin test results supplemented APCC's cyanobacteria monitoring data. The simultaneous collection of samples for cyanobacteria and cyanotoxins helped to ensure that cyanotoxin analyses (if warranted) correspond to cyanobacteria monitoring data in terms of time and place. This proactive sampling approach avoids a common pitfall of reactive sampling that can occur when cyanobacteria monitoring data are collected on one date and confirmatory samples are collected several days to a week later when conditions may have changed.

Interpretation of Results

APCC staff interpreted the results within a cyanobacteria risk guidance framework that incorporates the most recent scientific information as well as existing state and federal guidance ([EPA recreational waters](#), [MDPH](#)).

Massachusetts Department of Public Health (MDPH) Guidelines for Cyanobacteria

The MDPH cyanobacteria webpage provides guidelines for cyanobacteria in recreational freshwater bodies that are described in italics as follows ("Guidelines for Cyanobacteria at Recreational Freshwater Locations") ([MDPH](#)).

[Issuing a Public Health Advisory]

"DPH recommends issuing a public health advisory for HABs at recreational freshwater locations when at least one of the following criteria is met:

- 1. A visible cyanobacteria scum or mat is evident.*
- 2. Total cell count of cyanobacteria exceeds 70,000 cells/mL.*
- 3. Concentration of the toxin microcystins exceeds 8 µg/L (8 ppb); or*
- 4. Concentration of the toxin cylindrospermopsin exceeds 15 µg/L (15 ppb).*

Guideline values are based on US Environmental Protection Agency ([US EPA](#)) and World Health Organization ([WHO 1999](#)) ([WHO 2003](#)) recommendations. When issuing an advisory,

signage should be posted at each access point at the waterbody warning against any contact with the water.

Rescinding a Public Health Advisory

Cyanobacteria cells can release cyanotoxins into the water when they die. Therefore, algal toxins may be present when a visible scum or mat is no longer evident. DPH recommends the rescinding of a public health advisory after two successive samples, collected a week apart, demonstrate cell counts or toxin levels below the quantitative guideline values.” ([MDPH](#))

Cyanobacteria Risk Categories

APCC interpreted cyanobacteria data using a tiered risk system called “Cyanobacteria Risk Categories.” This data interpretation system was created using guidance and feedback from cyanobacteria researchers, Cape Cod health agents, and state guidance. The criteria for the Risk Categories do not include cell counts or cylindrospermopsin (another cyanobacteria toxin), as neither APCC nor the County Lab test for these metrics.

APCC tracked changes in cyanobacteria concentrations between each sampling event. The reason for tracking changes in cyanobacteria concentrations over time is that rapid growth rates, defined here as net daily cyanobacteria growth rates greater than or equal to 0.05 (ud-1), may indicate that a cyanobacteria bloom formation or exceedance of the 8 ppb microcystin level is about to occur. Alternatively, cyanobacteria concentrations may peak and then decrease before a cyanobacteria bloom or microcystin exceedance occurs. APCC recommended weekly testing of ponds where any APCC sample had a confirmed net daily cyanobacteria growth rate greater than or equal to 0.05 (ud-1). Before August 1, 2022, APCC would also place ponds in the “Potential for Concern” category for one week following a growth rate above 0.05 (ud-1). However, following new guidance from program partners, starting on August 1, 2022, APCC stopped a change in risk category based on cyanobacteria growth rate data alone. Instead, if growth rates exceeded 0.05 (ud-1), APCC increased the sampling frequency to 1-week intervals in order to catch any potential increase in cyanobacteria that might occur.

To assign a Cyanobacteria Risk Category to a pond for a given monitoring period, the most hazardous result among multiple criteria determined the risk category in which the pond was placed. A pond that met even a single criterion in the “**Use Restriction Warranted**” category was placed in that category. Likewise, a pond that met even a single criterion in the “**Potential for Concern**” category, but did not meet any criteria in the “**Use Restriction Warranted**” category, was placed in the “**Potential for Concern**” category. If a pond met no criteria in the “**Use Restriction Warranted**” or the “**Potential for Concern**” categories, that pond was placed in the “**Acceptable**” category. All descriptions and criteria for these categories are summarized in Appendix 2 and discussed below.

APCC Cyanobacteria Risk Categories

Acceptable

Definition: No concerning cyanobacteria results at the time and place of sampling. To the best of APCC’s knowledge and based on our monitoring results, regular recreational usage of the pond

is safe with respect to cyanobacteria and toxins. Map color is blue. Formerly the Low Warning Tier.

Recommended Sampling Frequency: Biweekly. In samples containing low levels of cyanobacteria with high growth rates APCC will recommend weekly sampling.

Recommended Action: None.

Potential for Concern

Definition: Monitoring results or the presence of cyanobacteria scum at the time and place of sampling indicates a potential for increased risk for exposure to cyanobacteria toxins approaching but below state standards. Conditions do not yet warrant the posting of a recreational human health advisory according to guidelines from the Massachusetts Department of Public Health (MDPH). While these conditions pose low health risks to adults, risks are higher for children or pets based on lower body mass, particularly if contaminated water is incidentally ingested. Children may inadvertently consume pond water while swimming and pet exposure can result from drinking or ingesting pond water or from grooming after swimming. The map color is yellow. Map color yellow with crosshatching indicates a municipal pet advisory has been issued. Formerly the Moderate Warning Tier^{1,2,4}.

Recommended Sampling Frequency: Weekly.

Recommended Action:

1. APCC or the town will provide a GRAB sample for toxin analysis to the Barnstable County Water Quality Lab for samples suspected of possibly exceeding the MDPH guidelines for microcystin in recreational waters.
2. The posting of a “Pet Advisory” or similar advisory according to municipal policies and procedures until the pond returns to “Acceptable” status.
3. Sampling should be increased to weekly until all results are once again in the “Acceptable” category.

Use Restriction Warranted

Definition: Monitoring results at the time and place of sampling indicate the pond is unsafe for recreation by humans and pets based on one or more of the following criteria: 1) presence of microcystin at or above state standards (8 ppb microcystin) as described in MDPH guidance, 2) presence of significant cyanobacteria scum layers according to MDPH guidance, 3) a municipal health agent issues a closure for any other reason related to cyanobacteria. Recreational risk to adults is moderate following exposure. Recreational risks are especially high for children and pets following exposure through accidental ingestion of contaminated water. Children may inadvertently consume pond water while swimming and pet exposure can result from ingestion or directly drinking pond water or from grooming after swimming. Due to lower body masses, children and pets are more susceptible to cyanobacteria risks than adults. Map color is red. Map color red with crosshatching indicates a municipal advisory has been issued. Formerly the High Warning Tier³.

Recommended Sampling Frequency: Weekly.

Recommended Action:

1. APCC or the town will provide a GRAB sample for toxin analysis to the Barnstable County Water Quality Lab for samples suspected of possibly exceeding the MDPH guidelines for microcystin in recreational waters.

2. The town should post a recreational advisory or similar advisory according to municipal policies and procedures and otherwise notify the public to avoid contact and exposure until the pond meets criteria to be reopened or the advisory is lifted by the local health agent.
3. Sampling should be conducted weekly until there are two consecutive weeks when results include no significant cyanobacteria scum and toxin testing of samples contain a microcystin concentration below 8 ppb.

Recommendations for posting Use Restrictions and Advisories

Use restrictions and advisories are issued at the discretion of the municipal health agents. When Use Restriction is Warranted, towns generally issue a Public Health Advisory or when there is a “Potential for Concern,” the town of Barnstable generally issues a Pet Advisory. As of now, there is no commonly utilized set of guidelines in use by health agents across the Cape that provides consistency in posting criteria. As a result, members of the public are advised to contact the health agent in their town (see the contact list provided on APCC’s website) to determine the official status of the pond in which they are interested. While ponds exceeding MDPH standards as discussed above were marked in red on APCC’s map, this coloration does not always mean that a use restriction was issued by the town. APCC updates our list of restricted ponds as we are informed by the respective towns, but APCC does not speak for the towns unless otherwise and explicitly noted on our posting map.

APCC’s recommendation for removing a recreational use advisory mirrors the reopening guidance from MDPH. For a microcystin toxin exceedance or cyanobacteria scum, APCC will recommend lifting a recreational use advisory or closure after two consecutive tests a week apart show microcystin concentrations less than 8 ppb and little to no presence of cyanobacteria bloom material, depending on the basis for the original restriction. Health agents are solely responsible for the issuance and removal of recreational use advisories or closures related to water clarity, such as clarity less than 4 feet.

Reporting

Biweekly reports

Results are provided in biweekly reports to local municipal officials and pond associations. Depending on results, reports include recommendations concerning appropriate advisory posting or removal for the public to minimize or avoid risks due to cyanobacteria exposure. During periods of possible harmful cyanobacteria bloom formation requiring weekly sampling, additional reports and updates are sent to officials and pond associations. Pond associations play a key role in raising public awareness of cyanobacteria risks and alerting pond residents of cyanobacteria monitoring results throughout the season.

Interactive map

APCC’s cyanobacteria website contains an interactive map where recent monitoring results are posted throughout the season. Updates are submitted on an automated basis at 7 p.m. on the same day as reports of results were emailed to town officials. In some cases, automated map updates

are postponed one day if a town official requested additional time to review results before they are posted. The interactive map is located at <https://apcc.org/cyano>.

Email alerts

APCC provides an email registry signup on our website designed to update interested residents and visitors when harmful cyanobacteria bloom are identified. A quick link to sign up to receive Cyanobacteria Alert is on our homepage (<https://apcc.org/>) and <https://apcc.org/cyano/>.

4. RESULTS

Cyanobacteria monitoring results, Risk Categories, and risk communication are described in this section. For each pond, a table is provided to describe results and risk category designations for each sampling event. A complete table of results is provided in Attachment 1 containing all data collected for BPC and Town of Brewster in 2023. This table is formatted to be printed on an 11”x17” sheet. The full Risk Category criteria are included in Appendix 2. Data interpretation and risk communication to town officials and the public for each sampling event are described in this section as well.

Results for the sampling locations are described below. APCC sampled in collaboration with BPC from 19 locations (see Appendix 4 for sampling locations).

Bakers Pond: Boat Ramp Access

During the 2023 monitoring season, Bakers Pond contained no concerning cyanobacteria results at the time and place of each sampling event, keeping the pond in APCC’s “Acceptable” category for the entire season. (Table 1 below).

On August 21, 2023, Bakers Pond experienced elevated net daily cyanobacteria growth rates > 0.05 (ud-1). APCC recommended weekly sampling following the elevated growth rate on August 21, 2023.

Table 1. Summary of 2023 cyanobacteria monitoring results for Bakers Pond, Orleans, MA.

Sampling Date	APCC Current Risk Category	Dominant Genus	Bloom Forming Colonies Phycocyanin (ug/L)	Current Risk Category Notes
6/1/2023	Acceptable	<i>Dolichospermum</i> spp.	476	-
6/12/2023	Acceptable	<i>Dolichospermum</i> spp.	664	-
6/26/2023	Acceptable	<i>Dolichospermum</i> spp.	1	-
7/10/2023	Acceptable	N/A	2	-

7/24/2023	Acceptable	<i>Dolichospermum</i> spp.	15	-
8/7/2023	Acceptable	<i>Dolichospermum</i> spp.	10	-
8/21/2023	Acceptable	<i>Dolichospermum</i> spp.	475	-
8/30/2023	Acceptable	<i>Dolichospermum</i> spp.	753	-
9/7/2023	Acceptable	<i>Dolichospermum</i> spp.	12	-
9/18/2023	Acceptable	<i>Dolichospermum</i> spp.	24	-
10/2/2023	Acceptable	<i>Dolichospermum</i> spp.	14	-
10/16/2023	Acceptable	N/A	7	-
10/30/2023	Acceptable	<i>Microcystis</i> spp.	6	-

Blueberry Pond: Neighborhood Beach Access

During the 2023 monitoring season, Blueberry Pond contained no concerning cyanobacteria results at the time and place of each sampling event, keeping the pond in APCC’s “Acceptable” category for the entire season. On October 31, 2023, there was elevated growth rate of 0.19 (ud-1) but in consultation with BPC it was decided not to add weekly sampling (Table 2 below).

Table 2. Summary of 2023 cyanobacteria monitoring results for Blueberry Pond, Brewster, MA.

Sampling Date	APCC Current Risk Category	Dominant Genus	Bloom Forming Colonies Phycocyanin (ug/L)	Current Risk Category Notes
5/30/2023	Acceptable	<i>Dolichospermum</i> spp.	35	-
6/13/2023	Acceptable	<i>Woronichinia</i> spp.	9	-
6/27/2023	Acceptable	<i>Woronichinia</i> spp.	1	-
7/11/2023	Acceptable	<i>Woronichinia</i> spp.	6	-
7/25/2023	Acceptable	Mixed	31	-
8/8/2023	Acceptable	<i>Woronichinia</i> spp.	2	-
8/22/2023	Acceptable	N/A	1	-
9/5/2023	Acceptable	N/A	7	-

9/19/2023	Acceptable	<i>Oscillatoria</i> spp.	7	-
10/3/2023	Acceptable	Mixed	7	-
10/17/2023	Acceptable	Mixed	18	-
10/31/2023	Acceptable	<i>Dolichospermum</i> spp.	247	-

Cliff Pond: Public Beach Access

During the 2023 monitoring season, Cliff Pond contained no concerning cyanobacteria results at the time and place of each sampling event, keeping the pond in APCC’s “Acceptable” category for the entire season. (Table 3 below).

On June 12, July 24, August 7, August 21, and September 3, 2023, Cliff Pond experienced elevated net daily cyanobacteria growth rates > 0.05 (ud-1). APCC recommended weekly sampling following the elevated growth rate on June 12, July 24, August 7, August 21, and September 3, 2023.

During the season, one toxin sample from Cliff Pond was sent to the County Lab for microcystin analysis samples on June 12, 2023. The County Lab reported microcystin results below 8 ppb for this sample.

Table 3. Summary of 2023 cyanobacteria monitoring results for Cliff Pond, Brewster, MA.

Sampling Date	APCC Current Risk Category	Dominant Genus	Bloom Forming Colonies Phycocyanin (ug/L)	Current Risk Category Notes
5/29/2023	Acceptable	Mixed	24	-
6/12/2023	Acceptable	Mixed	3912	Microcystin results: 0.39 ppb
6/19/2023	Acceptable	<i>Dolichospermum</i> spp.	8136	-
6/25/2023	Acceptable	<i>Dolichospermum</i> spp.	1132	-
7/5/2023	Acceptable	Mixed	32	-
7/10/2023	Acceptable	Mixed	77	-
7/24/2023	Acceptable	<i>Dolichospermum</i> spp.	290	-
8/3/2023	Acceptable	<i>Dolichospermum</i> spp.	121	-
8/7/2023	Acceptable	<i>Dolichospermum</i> spp.	169	-

8/17/2023	Acceptable	<i>Dolichospermum</i> spp.	92	-
8/21/2023	Acceptable	<i>Dolichospermum</i> spp.	280	-
8/30/2023	Acceptable	<i>Dolichospermum</i> spp.	322	-
9/3/2023	Acceptable	<i>Dolichospermum</i> spp.	284	-
9/11/2023	Acceptable	<i>Dolichospermum</i> spp.	125	-
9/18/2023	Acceptable	<i>Dolichospermum</i> spp.	110	-
10/2/2023	Acceptable	<i>Microcystis</i> spp.	12	-
10/16/2023	Acceptable	<i>Microcystis</i> spp.	33	-
10/30/2023	Acceptable	<i>Microcystis</i> spp.	19	-

Cobbs Pond: Private Residence off Channel Way

During the 2023 monitoring season, Cobbs Pond contained no concerning cyanobacteria results at the time and place of each sampling event, keeping the pond in APCC’s “Acceptable” category for the entire season. (Table 4 below).

Table 4. Summary of 2023 cyanobacteria monitoring results for Cobbs Pond, Brewster, MA.

Sampling Date	APCC Current Risk Category	Dominant Genus	Bloom Forming Colonies Phycocyanin (ug/L)	Current Risk Category Notes
5/30/2023	Acceptable	<i>Woronichinia</i> spp.	5	-
6/13/2023	Acceptable	<i>Woronichinia</i> spp.	4	-
6/27/2023	Acceptable	<i>Woronichinia</i> spp.	7	-
7/11/2023	Acceptable	<i>Woronichinia</i> spp.	9	-
7/25/2023	Acceptable	<i>Woronichinia</i> spp.	4	-
8/8/2023	Acceptable	<i>Woronichinia</i> spp.	10	-
8/22/2023	Acceptable	<i>Woronichinia</i> spp.	5	-
9/5/2023	Acceptable	<i>Woronichinia</i> spp.	53	-

9/19/2023	Acceptable	<i>Oscillatoria</i> spp.	67	-
10/3/2023	Acceptable	<i>Woronichinia</i> spp.	60	-
10/17/2023	Acceptable	<i>Woronichinia</i> spp.	3	-
10/31/2023	Acceptable	<i>Woronichinia</i> spp.	21	-

Elbow Pond: Boat Launch Access

During the 2023 monitoring season, Elbow Pond contained no concerning cyanobacteria results at the time and place of each sampling event, keeping the pond in APCC’s “Acceptable” category for the entire season. (Table 5 below).

On September 7, 2023, Elbow Pond experienced elevated net daily cyanobacteria growth rates > 0.05 (ud-1). APCC recommended weekly sampling following the elevated growth rate on September 7, 2023.

Table 5. Summary of 2023 cyanobacteria monitoring results for Elbow Pond, Brewster, MA.

Sampling Date	APCC Current Risk Category	Dominant Genus	Bloom Forming Colonies Phycocyanin (ug/L)	Current Risk Category Notes
6/1/2023	Acceptable	<i>Dolichospermum</i> spp.	34	-
6/12/2023	Acceptable	<i>Dolichospermum</i> spp.	9	-
6/26/2023	Acceptable	<i>Dolichospermum</i> spp.	2	-
7/10/2023	Acceptable	<i>Dolichospermum</i> spp.	7	-
7/24/2023	Acceptable	<i>Dolichospermum</i> spp.	0	-
8/7/2023	Acceptable	<i>Dolichospermum</i> spp.	9	-
8/21/2023	Acceptable	<i>Anabaena</i> spp.	10	-
9/7/2023	Acceptable	<i>Anabaena</i> spp.	31	-
9/13/2023	Acceptable	<i>Dolichospermum</i> spp.	33	-
9/18/2023	Acceptable	<i>Dolichospermum</i> spp.	97	-
10/2/2023	Acceptable	<i>Dolichospermum</i> spp.	21	-

10/16/2023	Acceptable	<i>Microcystis spp.</i>	7	-
10/30/2023	Acceptable	Mixed	2	-

Greenland Pond: Beechwood Association Beach Access

Durning the 2023 monitoring season, Greenland Pond contained no concerning cyanobacteria results at the time and place of each sampling event, keeping the pond in APCC’s “Acceptable” category for the entire season. (Table 6 below).

Table 6. Summary of 2023 cyanobacteria monitoring results for Greenland Pond, Brewster, MA.

Sampling Date	APCC Current Risk Category	Dominant Genus	Bloom Forming Colonies Phycocyanin (ug/L)	Current Risk Category Notes
6/1/2023	Acceptable	N/A	4	-
6/12/2023	Acceptable	<i>Dolichospermum</i> spp.	2	-
6/26/2023	Acceptable	<i>Dolichospermum</i> spp.	13	-
7/10/2023	Acceptable	N/A	2	-
7/24/2023	Acceptable	N/A	2	-
8/7/2023	Acceptable	<i>Dolichospermum</i> spp.	3	-
8/21/2023	Acceptable	N/A	1	-
9/7/2023	Acceptable	N/A	2	-
9/18/2023	Acceptable	<i>Dolichospermum</i> spp.	6	-
10/2/2023	Acceptable	<i>Dolichospermum</i> spp.	5	-
10/16/2023	Acceptable	N/A	4	-
10/30/2023	Acceptable	N/A	5	-

Griffiths Pond: Neighborhood landing off Griffith’s Pond Rd.

Durning the 2023 monitoring season, Griffiths Pond contained no concerning cyanobacteria results at the time and place of each sampling event, keeping the pond in APCC’s “Acceptable” category for the entire season. (Table 7 below).

Table 7. Summary of 2023 cyanobacteria monitoring results for Griffiths Pond, Brewster, MA.

Sampling Date	APCC Current Risk Category	Dominant Genus	Bloom Forming Colonies Phycocyanin (ug/L)	Current Risk Category Notes
5/29/2023	Acceptable	N/A	1	-
6/12/2023	Acceptable	N/A	2	-
6/26/2023	Acceptable	N/A	2	-
7/10/2023	Acceptable	N/A	2	-
7/24/2023	Acceptable	N/A	4	-
8/7/2023	Acceptable	N/A	16	-
8/21/2023	Acceptable	N/A	30	-
9/3/2023	Acceptable	N/A	12	-
9/19/2023	Acceptable	N/A	16	-
10/2/2023	Acceptable	N/A	2	-
10/16/2023	Acceptable	N/A	6	-
10/30/2023	Acceptable	N/A	2	-

Lower Mill Pond: Private Residence off of Mill Pond Drive

During the 2023 monitoring season, Lower Mill Pond contained no concerning cyanobacteria results at the time and place of each sampling event, keeping the pond in APCC’s “Acceptable” category for the entire season. (Table 8 below).

On July 25 and August 8, 2023, Lower Mill Pond experienced elevated net daily cyanobacteria growth rates > 0.05 (ud-1). APCC recommended weekly sampling following the elevated growth rate on July 25 and August 8, 2023.

Table 8. Summary of 2023 cyanobacteria monitoring results for Lower Mill Pond, Brewster, MA.

Sampling Date	APCC Current Risk Category	Dominant Genus	Bloom Forming Colonies Phycocyanin (ug/L)	Current Risk Category Notes
5/30/2023	Acceptable	<i>Dolichospermum</i> spp.	293	-
6/13/2023	Acceptable	<i>Dolichospermum</i> spp.	104	-

6/27/2023	Acceptable	<i>Dolichospermum</i> spp.	101	-
7/11/2023	Acceptable	<i>Dolichospermum</i> spp.	35	-
7/25/2023	Acceptable	<i>Dolichospermum</i> spp.	50	-
8/3/2023	Acceptable	<i>Dolichospermum</i> spp.	27	-
8/8/2023	Acceptable	<i>Dolichospermum</i> spp.	132	-
8/17/2023	Acceptable	<i>Dolichospermum</i> spp.	871	-
8/22/2023	Acceptable	<i>Dolichospermum</i> spp.	45	-
9/5/2023	Acceptable	<i>Dolichospermum</i> spp.	14	-
9/19/2023	Acceptable	<i>Dolichospermum</i> spp.	40	-
10/3/2023	Acceptable	<i>Dolichospermum</i> spp.	16	-
10/17/2023	Acceptable	<i>Dolichospermum</i> spp.	20	-
10/31/2023	Acceptable	Mixed	4	-

Long Pond: Town Beach Access

Durning the 2023 monitoring season, Long Pond contained no concerning cyanobacteria results at the time and place of each sampling event, keeping the pond in APCC’s “Acceptable” category for the entire season. (Table 9 below).

Table 9. Summary of 2023 cyanobacteria monitoring results for Long Pond, Brewster MA.

Sampling Date	APCC Current Risk Category	Dominant Genus	Bloom Forming Colonies Phycocyanin (ug/L)	Current Risk Category Notes
5/31/2023	Acceptable	N/A	2	-
6/14/2023	Acceptable	N/A	1	-
6/29/2023	Acceptable	N/A	3	-
7/12/2023	Acceptable	N/A	1	-
7/26/2023	Acceptable	N/A	3	-
8/9/2023	Acceptable	N/A	10	-

8/23/2023	Acceptable	<i>Dolichospermum</i> spp.	2	-
9/6/2023	Acceptable	<i>Dolichospermum</i> spp.	26	-
9/20/2023	Acceptable	<i>Dolichospermum</i> spp.	7	-
10/4/2023	Acceptable	<i>Dolichospermum</i> spp.	3	-
10/18/2023	Acceptable	Mixed	6	-
11/1/2023	Acceptable	<i>Dolichospermum</i> spp.	5	-

Myricks Pond: Residence off Barberry Ln. (Private)

During the 2023 monitoring season, Myricks Pond experienced changes in cyanobacteria levels beginning with a “Potential for Concern” August 7 and August 18, 2023, triggering weekly sampling that was followed by reduced cyanobacteria that placed it in APCC’s “Acceptable” Risk Category for the rest of the sampling events (Table 10 below). On the sampling events schedule for October 2 and October 16, 2023, the pond was not sampled due to sampler being ill and BPC chose not to have this sampled.

During the season, two toxin samples from Myricks Pond were sent to the County Lab for microcystin analysis samples on August 7 and August 17, 2023. The County Lab reported microcystin results below 8 ppb for each of these samples.

Table 10. Summary of 2023 cyanobacteria monitoring results for Myricks Pond, Brewster, MA.

Sampling Date	APCC Current Risk Category	Dominant Genus	Bloom Forming Colonies Phycocyanin (ug/L)	Current Risk Category Notes
6/1/2023	Acceptable	<i>Dolichospermum</i> spp.	32	-
6/12/2023	Acceptable	N/A	54	-
6/26/2023	Acceptable	<i>Dolichospermum</i> spp.	696	-
7/10/2023	Acceptable	<i>Dolichospermum</i> spp.	282	-
7/24/2023	Acceptable	N/A	44	-
8/7/2023	Potential for concern	<i>Dolichospermum</i> spp.	236	Insignificant cyanobacteria scum observed.

				Microcystin results: Non-detect
8/17/2023	Potential for concern	<i>Oscillatoria</i> spp.	19	Insignificant cyanobacteria scum observed. Microcystin results: Non-detect
8/21/2023	Acceptable	<i>Dolichospermum</i> spp.	10	-
9/7/2023	Acceptable	N/A	14	-
9/18/2023	Acceptable	Mixed	9	-
11/1/2023	Acceptable	<i>Woronichinia</i> spp	7	-

Owl Pond: Cypress Lane (Private)

During the 2023 monitoring season, Owl Pond contained no concerning cyanobacteria results at the time and place of each sampling event, keeping the pond in APCC’s “Acceptable” category for the entire season. (Table 11 below).

Table 11. Summary of 2023 cyanobacteria monitoring results for Owl Pond, Brewster MA.

Sampling Date	APCC Current Risk Category	Dominant Genus	Bloom Forming Colonies Phycocyanin (ug/L)	Current Risk Category Notes
5/31/2023	Acceptable	N/A	1	-
6/14/2023	Acceptable	N/A	3	-
6/29/2023	Acceptable	N/A	4	-
7/12/2023	Acceptable	N/A	5	-
7/26/2023	Acceptable	Mixed	3	-
8/9/2023	Acceptable	<i>Dolichospermum</i> spp.	3	-
8/23/2023	Acceptable	<i>Dolichospermum</i> spp.	7	-
9/6/2023	Acceptable	N/A	5	-
9/20/2023	Acceptable	N/A	7	-
10/4/2023	Acceptable	<i>Woronichinia</i> spp.	6	-
10/18/2023	Acceptable	N/A	9	-

11/1/2023	Acceptable	N/A	5	-
-----------	------------	-----	---	---

Pine Pond: Residence off Pine Pond Rd. (Private)

During the 2023 monitoring season, Pine Pond contained no concerning cyanobacteria results at the time and place of each sampling event, keeping the pond in APCC’s “Acceptable” category for the entire season. (Table 12 below).

Table 12. Summary of 2023 cyanobacteria monitoring results for Pine Pond, Brewster, MA.

Sampling Date	APCC Current Risk Category	Dominant Genus	Bloom Forming Colonies Phycocyanin (ug/L)	Current Risk Category Notes
5/30/2023	Acceptable	N/A	1	-
6/13/2023	Acceptable	<i>Aphanazomenon</i> spp.	1	-
6/27/2023	Acceptable	Mixed	4	-
7/11/2023	Acceptable	<i>Microcystis</i> spp.	4	-
7/25/2023	Acceptable	N/A	16	-
8/8/2023	Acceptable	Mixed	5	-
8/22/2023	Acceptable	Mixed	3	-
9/5/2023	Acceptable	<i>Oscillatoria</i> spp.	10	-
9/19/2023	Acceptable	<i>Oscillatoria</i> spp.	7	-
10/3/2023	Acceptable	N/A	4	-
10/17/2023	Acceptable	Mixed	6	-
10/31/2023	Acceptable	<i>Dolichospermum</i> spp.	1	-

Schoolhouse Pond: Town Boat Launch off 6A

During the 2023 monitoring season, Schoolhouse Pond contained no concerning cyanobacteria results at the time and place of each sampling event, keeping the pond in APCC’s “Acceptable” category for the entire season. (Table 13 below).

On July 26 and September 13, 2023, Schoolhouse Pond experienced elevated net daily cyanobacteria growth rates > 0.05 (ud-1). APCC recommended weekly sampling following the elevated growth rate on July 26 and September 13, 2023.

Table 13. Summary of 2023 cyanobacteria monitoring results for Schoolhouse Pond, Brewster MA.

Sampling Date	APCC Current Risk Category	Dominant Genus	Bloom Forming Colonies Phycocyanin (ug/L)	Current Risk Category Notes
5/31/2023	Acceptable	<i>Woronichinia</i> spp.	21	-
6/14/2023	Acceptable	<i>Woronichinia</i> spp.	44	-
6/29/2023	Acceptable	Mixed	8	-
7/12/2023	Acceptable	<i>Dolichospermum</i> spp.	20	-
7/26/2023	Acceptable	<i>Dolichospermum</i> spp.	189	-
8/3/2023	Acceptable	<i>Dolichospermum</i> spp.	10	-
8/9/2023	Acceptable	N/A	11	-
8/23/2023	Acceptable	N/A	8	-
9/6/2023	Acceptable	<i>Dolichospermum</i> spp.	188	-
9/13/2023	Acceptable	<i>Dolichospermum</i> spp.	449	-
9/20/2023	Acceptable	<i>Dolichospermum</i> spp.	28	-
10/4/2023	Acceptable	<i>Dolichospermum</i> spp.	21	-
10/18/2023	Acceptable	Mixed	24	-
11/1/2023	Acceptable	<i>Oscillatoria</i> spp.	7	-

Seymour Pond: Neighborhood beach off Beachwood Dr. (Private)

During the 2023 monitoring season, Myricks Pond experienced changes in cyanobacteria levels beginning with a “Potential for Concern” May 31, 2023, triggering weekly sampling that was followed by reduced cyanobacteria that placed it in APCC’s “Acceptable” Risk Category for the rest of the sampling events.

Table 14. Summary of 2023 cyanobacteria monitoring results for Seymour Pond, Brewster, MA.

Sampling Date	APCC Current Risk Category	Dominant Genus	Bloom Forming Colonies Phycocyanin (ug/L)	Current Risk Category Notes
5/31/2023	Potential for Concern	<i>Dolichospermum</i> spp.	468	Insignificant cyanobacteria scum observed.
6/7/2023	Acceptable	<i>Dolichospermum</i> spp.	141	-
6/14/2023	Acceptable	<i>Dolichospermum</i> spp.	673	-
6/29/2023	Acceptable	<i>Dolichospermum</i> spp.	95	-
7/12/2023	Acceptable	N/A	13	-
7/26/2023	Acceptable	<i>Dolichospermum</i> spp.	2	-
8/9/2023	Acceptable	Mixed	4	-
8/23/2023	Acceptable	<i>Dolichospermum</i> spp.	30	-
9/6/2023	Acceptable	<i>Dolichospermum</i> spp.	41	-
9/20/2023	Acceptable	<i>Dolichospermum</i> spp.	21	-
10/4/2023	Acceptable	<i>Dolichospermum</i> spp.	3	-
10/18/2023	Acceptable	<i>Woronichinia</i> spp.	2	-
11/1/2023	Acceptable	N/A	2	-

Sheep Pond: Town beach and boat ramp off Fishermans Landing Rd

During the 2023 monitoring season, Sheep Pond experienced changes in cyanobacteria levels beginning with a “Potential for Concern” June 20, 2023, triggering weekly sampling that was followed by reduced cyanobacteria that placed it in APCC’s “Acceptable” Risk Category for the rest of the sampling events.

Table 15. Summary of 2023 cyanobacteria monitoring results for Sheep Pond, Brewster, MA.

Sampling Date	APCC Current Risk Category	Dominant Genus	Bloom Forming Colonies Phycocyanin (ug/L)	Current Risk Category Notes
5/31/2023	Acceptable	<i>Dolichospermum</i> spp.	100	-
6/14/2023	Acceptable	<i>Dolichospermum</i> spp.	211	-
6/20/2023	Potential for Concern	<i>Dolichospermum</i> spp.	-	Insignificant cyanobacteria scum was observed.
6/29/2023	Acceptable	<i>Dolichospermum</i> spp.	13	-
7/11/2023	Acceptable	<i>Dolichospermum</i> spp.	15	-
7/26/2023	Acceptable	<i>Dolichospermum</i> spp.	38	-
8/9/2023	Acceptable	N/A	11	-
8/23/2023	Acceptable	Mixed	9	-
9/6/2023	Acceptable	<i>Microcystis</i> spp.	9	-
9/20/2023	Acceptable	Mixed	45	-
10/4/2023	Acceptable	<i>Dolichospermum</i> spp.	27	-
10/18/2023	Acceptable	<i>Dolichospermum</i> spp.	27	-
11/1/2023	Acceptable	<i>Dolichospermum</i> spp.	119	-

Slough Pond: Boat Launch off Slough Rd.

Durning the 2023 monitoring season, Slough Pond contained no concerning cyanobacteria results at the time and place of each sampling event, keeping the pond in APCC’s “Acceptable” category for the entire season. (Table 16 below).

Table 16. Summary of 2023 cyanobacteria monitoring results for Slough Pond, Brewster, MA.

Sampling Date	APCC Current Risk Category	Dominant Genus	Bloom Forming Colonies Phycocyanin (ug/L)	Current Risk Category Notes
6/1/2023	Acceptable	<i>Dolichospermum</i> spp.	28	-
6/12/2023	Acceptable	<i>Dolichospermum</i> spp.	25	-
6/26/2023	Acceptable	<i>Dolichospermum</i> spp.	8	-
7/10/2023	Acceptable	<i>Aphanizomenon</i> spp.	4	-
7/24/2023	Acceptable	N/A	4	-
8/7/2023	Acceptable	Mixed	3	-
8/21/2023	Acceptable	Mixed	2	-
9/7/2023	Acceptable	N/A	9	-
9/18/2023	Acceptable	<i>Oscillatoria</i> spp.	32	-
10/2/2023	Acceptable	N/A	4	-
10/16/2023	Acceptable	N/A	8	-
10/30/2023	Acceptable	N/A	15	-

Smalls Pond: Public Beach off Cahoon Rd.

During the 2023 monitoring season, Smalls Pond contained no concerning cyanobacteria results at the time and place of each sampling event, keeping the pond in APCC’s “Acceptable” category for the entire season. (Table 17 below).

Table 17. Summary of 2023 cyanobacteria monitoring results for Smalls Pond, Brewster, MA.

Sampling Date	APCC Current Risk Category	Dominant Genus	Bloom Forming Colonies Phycocyanin (ug/L)	Current Risk Category Notes
5/31/2023	Acceptable	N/A	3	-
6/14/2023	Acceptable	<i>Oscillatoria</i> spp.	2	-
6/29/2023	Acceptable	<i>Dolichospermum</i> spp.	1	-
7/12/2023	Acceptable	<i>Microcystis</i> spp.	3	-

7/25/2023	Acceptable	N/A	5	-
8/8/2023	Acceptable	N/A	1	-
8/22/2023	Acceptable	N/A	3	-
9/5/2023	Acceptable	<i>Oscillatoria</i> spp.	3	-
9/19/2023	Acceptable	Mixed	7	-
10/3/2023	Acceptable	<i>Oscillatoria</i> spp.	4	-
10/17/2023	Acceptable	<i>Woronichinia</i> spp.	12	-
10/31/2023	Acceptable	<i>Woronichinia</i> spp.	6	-

Upper Mill Pond: Boat ramp off Run Hill Rd.

During the 2023 monitoring season, Upper Mill Pond contained no concerning cyanobacteria results at the time and place of each sampling event, keeping the pond in APCC’s “Acceptable” category for the entire season. (Table 18 below).

On June 5, 2023, Upper Mill Pond experienced elevated net daily cyanobacteria growth rates > 0.05 (ud-1). APCC recommended weekly sampling following the elevated growth rate on June 5, 2023.

Table 18. Summary of 2023 cyanobacteria monitoring results for Upper Mill Pond, Brewster, MA.

Sampling Date	APCC Current Risk Category	Dominant Genus	Bloom Forming Colonies Phycocyanin (ug/L)	Current Risk Category Notes
5/30/2023	Acceptable	<i>Dolichospermum</i> spp.	51	-
6/13/2023	Acceptable	<i>Dolichospermum</i> spp.	13	-
6/29/2023	Acceptable	<i>Dolichospermum</i> spp.	11	-
7/11/2023	Acceptable	<i>Dolichospermum</i> spp.	16	-
7/25/2023	Acceptable	<i>Dolichospermum</i> spp.	14	-
8/8/2023	Acceptable	<i>Dolichospermum</i> spp.	16	-
8/22/2023	Acceptable	<i>Dolichospermum</i> spp.	30	-

9/5/2023	Acceptable	<i>Dolichospermum</i> spp.	92	-
9/13/2023	Acceptable	<i>Dolichospermum</i> spp.	43	-
9/19/2023	Acceptable	<i>Dolichospermum</i> spp.	41	-
10/3/2023	Acceptable	<i>Dolichospermum</i> spp.	7	-
10/17/2023	Acceptable	Microcystis spp.	4	-
10/31/2023	Acceptable	N/A	11	-

Walkers Pond: Boat launch off Slough Rd.

During the 2023 monitoring season, Walkers Pond experienced changes in cyanobacteria levels beginning with a “Potential for Concern” May 30 and June 5-6, 2023. APCC identified *Dolichospermum* spp. as the dominant genus accumulating along Walkers Pond shores. Photos were supplied to MDPH for two weeks and Barnstable County Lab processed a grab sample for microcystin analysis and found no detectable levels of microcystin. MDPH stated ‘given that no microcystin has been found, our interpretation of the current amount of scum shown would not warrant a public health advisory on its own, especially as the scum is relatively confined’. APCC followed MDPH’s recommendation to continuing to monitor conditions at the pond should bloom formations intensify and/or expand. Weekly sampling that followed found reduced cyanobacteria that placed it in APCC’s “Acceptable” Risk Category for the rest of the sampling events.

During the season, two toxin samples from Walkers Pond were sent to the County Lab for microcystin analysis samples on June 5, 2023, and June 6, 2023. The County Lab reported microcystin results below 8 ppb for each of these samples.

Table 19. Summary of 2023 cyanobacteria monitoring results for Walkers Pond, Brewster, MA.

Sampling Date	APCC Current Risk Category	Dominant Genus	Bloom Forming Colonies Phycocyanin (ug/L)	Current Risk Category Notes
5/30/2023	Potential for Concern	<i>Dolichospermum</i> spp.	1274	Insignificant cyanobacteria scum was observed.
6/5/2023	Potential for Concern	<i>Dolichospermum</i> spp.	4841	Insignificant scum was observed on 6/6/23. Microcystin results: Non-detect
6/6/2023	Potential for Concern	-	-	Insignificant cyanobacteria scum was observed.

				Microcystin results: Non-detect
6/13/2023	Acceptable	<i>Dolichospermum</i> spp.	1276	-
6/29/2023	Acceptable	<i>Dolichospermum</i> spp.	854	-
7/11/2023	Acceptable	N/A	137	-
7/25/2023	Acceptable	<i>Microcystis</i> spp.	123	-
8/3/2023	Acceptable	<i>Microcystis</i> spp.	25	-
8/8/2023	Acceptable	N/A	27	-
8/22/2023	Acceptable	<i>Dolichospermum</i> spp.	53	-
9/5/2023	Acceptable	<i>Dolichospermum</i> spp.	231	-
9/13/2023	Acceptable	<i>Anabaena</i> spp.	296	-
9/19/2023	Acceptable	<i>Anabaena</i> spp.	553	-
9/27/2023	Acceptable	<i>Anabaena</i> spp.	204	-
10/3/2023	Acceptable	<i>Dolichospermum</i> spp.	87	-
10/17/2023	Acceptable	N/A	36	-
10/31/2023	Acceptable	<i>Oscillatoria</i> spp.	6	-

5. CONCLUSIONS

In 2023, 19 ponds were monitored in Brewster; (see Attachment 4 for sampling locations). Myricks Pond, Seymour Pond, Sheep Pond, and Walkers Pond reached APCC’s “Potential for Concern” due to moderate levels of cyanobacteria. No ponds reached APCC’s “Use Restriction Warranted” category due to high levels of cyanobacteria.

In 2023, no ponds received a Public Health Advisory. Unlike in years past, Cliff Pond received recreational advisories for the majority of the sampling season, during 2023 conditions met Acceptable conditions throughout the season. For a comparison of interpreted cyanobacteria risks in 2023 compared to previous seasons, see Appendix 3. These results from four years of monitoring suggest that Cliff Pond, Myricks Pond, Seymour Pond, Sheep Pond, and Walkers Pond may continue to experience cyanobacteria blooms in the future.

In the previous two years of monitoring, APCC’s monitoring data and the presence of cyanobacteria scums was used to estimate cyanobacteria risk. In 2023, the County Lab’s continued capability to test for microcystin provided the town health department and APCC with direct measurements of toxin, increasing understanding of current toxin risks. For this season, five toxin samples were sent to the County Lab due to concerns of possible exceedances, but no samples were reported above the MDPH microcystin threshold of 8 ppb.

APCC’s 2023 cyanobacteria monitoring program collected and analyzed 228 samples and documented field conditions on each of the scheduled 228 sampling dates throughout the season as well as an additional 17 based on higher growth rates or higher warning categories. All results were promptly shared with the Brewster Pond Coalition and the town of Brewster via biweekly reports and then entered into the APCC Interactive Map following the completion of sample analysis (<https://apcc.org/cyano>).

6. RECOMMENDATIONS

Based on the results from the 2023 monitoring season and previous monitoring work, APCC provides the following recommendations:

Recommendation 1: Continue the sampling season to include late season monitoring. Many ponds in APCC’s cyanobacteria monitoring program experience their highest cyanobacteria concentrations in the spring and the fall. Additional late season monitoring could shed light on potential bloom conditions outside of the typical June to Labor Day monitoring season performed in the Town of Sandwich this season. Although residents may interact with these ponds less during these times, there are still dangers posed to pets who may consume or swim in these waters while on walks during colder months.

Recommendation 2: Continue yearly cyanobacteria monitoring. Monitoring over multiple years for full seasons would provide greater understanding of the cyanobacteria community in the Brewster ponds. More seasons of data will allow us to draw better predictions year after year. Continued monitoring will also allow for the ability to track degradation in the ponds as

increased occurrence of harmful cyanobacteria blooms point to larger issues of pond impairment. Monitoring efforts will shed light on the ponds most in need of protection and restoration.

Recommendation 3: Reduce nutrient loading to freshwater ponds. Algal blooms and cyanobacteria blooms in ponds are associated with nutrient loading to ponds. Furthermore, there is mounting evidence that nitrogen as well as phosphorus is involved in stimulating algal blooms in freshwater ponds. Residents living adjacent to ponds and within the pond watershed should reduce sources of nutrient pollution flowing from their properties towards the pond. Excess fertilizer use, septic systems around ponds, poor stormwater management infrastructure, and a lack of adequate vegetation buffers are exacerbating nutrient loading of ponds. Reducing or eliminating fertilizer use, maintaining septic systems or upgrading to better wastewater management systems or upgrading to better wastewater management systems that remove more nutrients, treating stormwater runoff before it enters wetlands or ponds, and planting vegetated buffers where none exist will help to protect pond water quality.

Recommendation 4: Recognize that scientific understanding of the causes of HCBs continues to evolve. In addition to managing nutrients, changing climate conditions, including the currently warming atmosphere and altered rainfall patterns, are believed to play a significant role in the increasing frequency and intensity of harmful cyanobacteria blooms ([Paerl et al., 2019](#)). Residents and officials should understand that there may be many factors that cause HCBs on Cape Cod. Continued monitoring of cyanobacteria and water quality will lead to increased understanding and awareness, a safer public, and hopefully improved health of our freshwater ponds.

Recommendation 5: Consider carefully before planning or undertaking pond restoration and protection options. If a pond is impacted by HCBs, here are some steps to consider:

- Identify the important uses and desirable features of the pond and surrounding areas.
- Consider the natural evolution of a pond over time, from open water to vegetated marsh to wet meadow.
- Identify potential causes of HCBs (e.g., excess nutrients, warming, etc.).
- Identify potential actions to promote pond health and reduce HCBs.
 - For a comprehensive list of actions that residents, municipalities, and state agencies can take to promote pond health, visit APCC's State of the Waters: Cape Cod website ([State of the Waters](#)), specifically, the Action Plan for ponds.
 - Under the Freshwater Initiative, the Cape Cod Commission is developing a Pond Restoration Technologies matrix to identify potential methods for pond protection and restoration. Each pond is unique, and restoration technology that works for one pond may not work well for another.
- Develop a comprehensive plan for pond protection and restoration that addresses the causes as well as the symptoms of impaired pond health. Treating a single problem without considering the effects on other pond resources can potentially cause problems. Planning for pond protection should be done to address not only short-term solutions but also medium-term and long-term solutions.
- Develop a watershed management plan and continue to engage residents around the pond and within the watershed about best land care practices, pond ecology, etc.

7. ACKNOWLEDGEMENTS

APCC collaborates with many local, regional, state and federal partners, including organizations, homeowner associations, pond associations, water quality committees, municipal staff from Cape Cod and Martha's Vineyard, and state and federal agencies and organizations. Partners include scientists affiliated with the University of New Hampshire Center for Freshwater Biology, Barnstable County Department of Health and the Environment, the Cape and Islands Health Agents Coalition, Massachusetts Department of Public Health, Massachusetts Department of Environmental Protection, the U.S. Environmental Protection Agency, Massachusetts Bays National Estuary Partnership, and the Massachusetts Division of Marine Fisheries. Funding was provided by the Cape Cod Healthcare Foundation, the Mary-Louise Eddy and Ruth N. Eddy Foundation, the Gannett Foundation, the Cape Cod Foundation, the Horizon Foundation private foundation grants, and dues and donations from APCC members.

APCC wishes to thank the following individuals and organizations for their support of this project: Nancy Leland of Lim-TEX, Inc. and Dr. Jim Haney, affiliated with the University of New Hampshire, for providing scientific advice and guidance; Karen Malkus-Benjamin, former Barnstable Coastal Health Agent for guidance on application of methods and interpretation of results; Amy von Hone, Health Director for addressing cyanobacteria concerns in Brewster ponds on behalf of the town; Marty Burke and Ron Essiq, Brewster Ponds Coalition for serving as project leads; and Hilary Snook of the U.S. Environmental Protection Agency for providing support for initiating our program. APCC also thanks our 2023 cyanobacteria interns including Luke Boshar, Caitlin Cavanaugh, Lillie Ells, Anthony Karson, Matthew Pittsley, Meri Ratzel, Nick Sanders, and Will Felix.

8. REFERENCES

Association to Preserve Cape Cod (APCC) webpage on Cyanobacteria Monitoring Program. <https://apcc.org/our-work/science/community-science/cyanobacteria/>.

Centers for Disease Control (CDC). Facts about Harmful Algal Blooms for Health Care Professionals. <https://www.cdc.gov/habs/materials/factsheet-cyanobacterial-habs.html>.

Centers for Disease Control and Prevention (CDC). Harmful Algal Bloom (HAB)-Associated Illness. <https://www.cdc.gov/habs/general.html>.

Centers for Disease Control (CDC). Physician Reference card for cyanobacteria. https://www.cdc.gov/habs/pdf/habsphysician_card.pdf.

Commonwealth of Massachusetts webpage on cyanobacteria. <https://www.mass.gov/guides/cyanobacterial-harmful-algal-blooms-cyanohabs-water>.

Cyanobacteria Monitoring Collaborative Program (CMC). 2017. Quality Assurance Program Plan (QAPP) for the Cyanobacteria Monitoring Collaborative Program. Rev: 0, April 26, 2017. https://cyanos.org/wp-content/uploads/2017/04/cmc_qapp_final.pdf.

Environmental Protection Agency (EPA), webpage on Harmful Algal Blooms.
<https://www.epa.gov/nutrientpollution/harmful-algal-blooms>.

EPA and nutrient pollution EPA website on “Monitoring and Responding to Cyanobacteria and Cyanotoxins in Recreational Waters”. <https://www.epa.gov/cyanohabs/monitoring-and-responding-cyanobacteria-and-cyanotoxins-recreational-waters>.

EPA recreational waters EPA Office of Ground Water and Drinking Water webpage. Managing Cyanotoxins in Public Drinking Water Systems. <https://www.epa.gov/ground-water-and-drinking-water/managing-cyanotoxins-public-drinking-water-systems>.

Leland, N.J. 2018. Fundamentals of Cyano-casting: cost-effective monitoring techniques for cyanobacteria surface blooms and cyanotoxin levels. In cooperation with UNH Center for Freshwater Biology. http://lim-tex.com/wp-content/uploads/2018/05/CyanoCasting_Handbook_v18.pdf.

Leland, N.J. and Haney, J.F. 2018. Alternative Methods for Analysis of Cyanobacterial Populations in Drinking Water Supplies: Fluorometric and Toxicological Applications Using Phycocyanin. Journal of Water Resource and Protection, 10, 740-761.
<https://www.scirp.org/journal/PaperInformation.aspx?paperID=86671>.

Leland, N.J., Haney, J.F., Conte, K., Malkus-Benjamin, K. and Horsley, B. 2019. Evaluation of Size Structure in Freshwater Cyanobacterial Populations: Methods to Quantify Risk Associated with Changes in Biomass and Microcystin Concentrations. Journal of Water Resource and Protection, 11, 810-829. <https://www.scirp.org/journal/paperinformation.aspx?paperid=93424>.

Leland, N.J., R. A. Landon, and J.F. Haney. September 2020. Trophic interactions between anadromous juvenile Alewife (*Alosa pseudoharengus*) and cyanobacterial populations in a shallow mesotrophic pond. Natural Resources, 2020, 11, 394-419. <https://m.scirp.org/papers/102960>.

Massachusetts Department of Public Health (MDPH) website on “Guidelines for cyanobacteria at recreational freshwater locations”. <https://www.mass.gov/info-details/guidelines-for-cyanobacteria-at-recreational-freshwater-locations>.

New England Interstate Water Pollution Control Commission (NEIWPC), webpage on Harmful Algal Blooms. <https://neiwpc.org/our-programs/wetlands-aquatic-species/habs/>.

New Hampshire state issues cyanobacteria advisories and alerts.
<https://www.des.nh.gov/news-and-media/state-issues-cyanobacteria-advisories-and-alerts-new-hampshire>.

New York State Department of Health, Harmful algal bloom program.
<https://www.health.ny.gov/environmental/water/drinking/bluegreenalgae/>.

Paerl, H.W., Havens, K.E., Hall, N.S., Otten, T.G., Zhu, M., Xu, H., Zhu, G., and Qin, B. 2019. Mitigating a global expansion of toxic cyanobacterial blooms: confounding effects and challenges posed by climate change. *Marine & Freshwater Research*. Published online March 26, 2019. <https://www.publish.csiro.au/MF/MF18392>.

Rhode Island Department of Health website on harmful algal blooms. <https://health.ri.gov/healthrisks/harmfulalgaeblooms/>.

State of the Waters: Cape Cod 2020. Action Plan for Homeowners/Business Owners. <https://capecodwaters.org/action-plan/#ponds-hom>.

Town of Barnstable Health Division. Beach Status and Water Quality. <https://tobweb.town.barnstable.ma.us/Departments/healthdivision/>.

U.S. EPA (United States Environmental Protection Agency) (2021). Surface Water Sampling. https://www.epa.gov/sites/default/files/2017-07/documents/surface_water_sampling201_af.r4.pdf.

U.S. EPA (United States Environmental Protection Agency) (2019). Recommended Human Health Recreational Ambient Water Quality Criteria or Swimming Advisories for Microcystins and Cylindrospermopsin. EPA-822-R-19-001 (PDF). www.epa.gov/sites/default/files/2019-05/documents/hh-rec-criteria-habs-document-2019.pdf.

U.S. EPA (Environmental Protection Agency). 2017, revised 2021. Cyanobacteria Monitoring Collaborative Program (CMC). Quality Assurance Program Plan (QAPP) for the Cyanobacteria Monitoring Collaborative Program. Rev: 0, April 26, 2017. d at: https://cyanos.org/wp-content/uploads/2017/04/cmc_qapp_final.pdf.

U.S. EPA (Environmental Protection Agency). 2016. Method 546: Determination of Total Microcystins and Nodularins in Drinking Water and Ambient Water by Adda Enzyme-Linked Immunosorbent Assay. <https://www.epa.gov/sites/default/files/2016-09/documents/method-546-determination-total-microcystins-nodularins-drinking-water-ambient-water-adda-enzyme-linked-immunosorbent-assay.pdf>.

World Health Organization. 1999. Toxic cyanobacteria in water: a guide to their public health consequences, monitoring and management. https://cdn.who.int/media/docs/default-source/wash-documents/water-safety-and-quality/toxic-cyanobacteria---1st-ed.pdf?sfvrsn=338a8c22_1&download=true.

WHO (World Health Organization) (2003). Guidelines for Safe Recreational Water Environments, Volume 1: Coastal and Fresh Waters. (PDF) <http://apps.who.int/iris/bitstream/handle/10665/42591/9241545801.pdf?sequence=1>.

Appendix 1. Resources on Cyanobacteria

Harmful cyanobacteria blooms in freshwater bodies are the subject of numerous reports published by scientists, state and federal agencies, and organizations, some of which are listed here:

- The World Health Organization recognized the public health consequences of cyanobacteria in water in 1999 (WHO¹) [Microsoft Word - toxcyanbegin.doc \(who.int\)](#).
- The Centers for Disease Control (CDC) call cyanotoxins “among the most powerful natural poisons known” ([NCEH Cyanobacteria Blooms Fact Sheet \(cdc.gov\)](#)). The [habsphysician_card.pdf \(cdc.gov\)](#) states that swallowing water containing cyanobacteria can damage the central nervous system, liver or kidneys; skin contact can cause allergic dermatitis and conjunctivitis; and inhalation of aerosols containing cyanobacteria or their toxins can cause wheezing, coughing, chest tightness, and shortness of breath.
- New England Interstate Water Pollution Control Commission ([Harmful Algal Blooms • NEIWPC](#)) is an interstate commission that helps the states of the Northeast preserve and advance water quality. NEIWPC’s webpage states that “the frequency of HAB occurrence is on the rise and cyanobacteria toxicity has been associated with human health impacts including skin rashes, gastrointestinal and respiratory disease, and liver damage. Effects can be even more pronounced (potentially even fatal) in animals ranging from cattle to dogs. HABs have direct implications to the use of recreational waterbodies for contact recreation, the susceptibility of public water supplies to toxins, and the overall degradation of our aquatic resources.”
- U.S. Environmental Protection Agency (EPA):
 - “Monitoring and Responding to Cyanobacteria and Cyanotoxins in Recreational Waters.” ([Monitoring and Responding to Cyanobacteria and Cyanotoxins in Recreational Waters | US EPA](#))
 - EPA Office of Ground Water and Drinking Water webpage. Managing Cyanotoxins in Public Drinking Water Systems. ([Managing Cyanotoxins in Public Drinking Water Systems | US EPA](#))
 - EPA webpage on nutrient pollution and HABs. ([Harmful Algal Blooms | US EPA](#))
 - EPA webpage on Cyanobacteria HABs. ([Cyanobacteria Harmful Algal Blooms \(CyanoHABS\) in Water Bodies](#))
- State agencies, including New York ([Harmful Blue-Green Algae Blooms \(ny.gov\)](#)), Rhode Island ([Cyanobacteria \(Blue-Green Algae\) | Rhode Island Department of Environmental Management](#)), and New Hampshire ([NHDES Fact Sheet: Potential Dangers of Cyanobacteria in New Hampshire Waters](#)) have cyanobacteria monitoring programs and provide guidance concerning public health and environmental risks posed by cyanobacteria.
- Commonwealth of Massachusetts:
 - Cyanobacteria webpage: ([Cyanobacterial Harmful Algal Blooms \(CyanoHABS\) & Water | Mass.gov](#))
 - Massachusetts Department of Public Health (MDPH) website on “Guidelines for cyanobacteria in freshwater recreational water bodies.” ([Guidelines for Cyanobacteria at Recreational Freshwater Locations | Mass.gov](#))

Appendix 2. APCC’s Cyanobacteria Risk Categories.

APCC 2022 Cyanobacteria Risk Categories Revised 7/26/2022				
Criteria		APCC Acceptable	APCC Potential for Concern	APCC Use Restriction Warranted
Microcystin	Potential microcystin calculated by APCC based on measurement of phycocyanin in Bloom Forming Colony samples.	Potential microcystin calculated at low levels that do not warrant additional toxin testing ^{2,4} .	Potential microcystin is elevated to a point where an exceedance is deemed possible and confirmatory toxin testing warranted ^{2,4} .	
	Measured microcystin by Barnstable County Water Quality Lab.	Less than 4 ppb microcystin <u>measured</u> in GRAB sample.	Between 4 and 8 ppb microcystin <u>measured</u> in GRAB sample.	Greater than 8 ppb microcystin <u>measured</u> in GRAB sample ³ .
Cyanobacteria Blooms and Scums	Cyanobacteria bloom material reported and confirmed by APCC.	None present at the time and place of sample collection.	A cyanobacteria scum or bloom is present but is deemed to be <u>insignificant</u> by the Massachusetts Department of Public Health and the town’s health agent.	A cyanobacteria scum or bloom is present and is deemed to be <u>significant</u> by the Massachusetts Department of Public Health or the town’s health agent ³ .
Notes	<p>To interpret cyanobacteria data using this table, the most hazardous result determines the category the pond is placed in from right to left. A pond that meets even a single criterion in the “Use Restriction Warranted” column will be placed in that category. Likewise, a pond that meets even a single criterion in the “APCC Potential for Concern” category but does not meet any criteria in the “APCC Use Restriction Warranted” category, will be placed in the “APCC Potential for Concern” category. If a pond meets no criteria in the “APCC Use Restriction Warranted” or the “APCC Potential for Concern” category, that pond is placed in the “APCC Acceptable” category.</p> <p>²Developed with recommendations from Nancy Leland of Lim-Tex Inc. and affiliated with the University of New Hampshire Center for Freshwater Biology.</p> <p>³Criteria attributed to MDPH.</p> <p>⁴Predictive cyanobacteria metrics that project and estimate risks, rather than reactive cyanobacteria metrics that measure risk after a bloom has occurred.</p>			

**Appendix 3. Brewster ponds 2018-2023 Cyanobacteria Risk Comparison for 19 sampling locations
(see Appendix 4 for a list of all sampling locations)**

As of 2023 APCC has completed five seasons of cyanobacteria monitoring for the Brewster Pond Coalition and the Town of Brewster. In 2018 however, APCC had yet to formalize a cyanobacteria risk interpretation framework similar to what is used today. For this reason, data from 2018 has been omitted from this comparison. The tables below detail APCC’s communication of cyanobacteria risk for Brewster ponds in each season. Red indicates a “Use Restriction Warranted” or “High Warning Tier” designation and yellow indicates a “Potential for Concern” or “Moderate Warning Tier” designation and blue indicates “Acceptable” or a “Low Warning Tier” designation. See APCC reports from 2018 through 2022 for the Brewster Pond Coalition for more information on findings and risk communication in these sampling seasons.

Bakers Pond 2019 -2023 Cyanobacteria Risk Comparison												
	June		July		August		September		October		November	
Year	1st-15th	16th-30th	1st-15th	16th-31st	1st-15th	16th-31st	1st-15th	16th-30th	1st-15th	16th-31st	1st-15th	16th-30th
2019						Yellow	Blue	Blue				
2020	Yellow	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue			
2021	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Red	Red	Red	
2022	Blue	Blue	Yellow	Yellow	Blue	Blue	Blue	Blue	Yellow	Blue	Blue	
2023	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue		

Blueberry Pond 2019-2023 Cyanobacteria Risk Comparison												
	June		July		August		September		October		November	
Year	1st-15th	16th-30th	1st-15th	16th-31st	1st-15th	16th-31st	1st-15th	16th-30th	1st-15th	16th-31st	1st-15th	16th-30th
2019	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue			
2020												
2021	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue		
2022	Blue	Yellow	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	
2023	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue		

Cliff Pond 2019-2023 Cyanobacteria Risk Comparison

	June		July		August		September		October		November	
Year	1st-15th	16th-30th	1st-15th	16th-31st	1st-15th	16th-31st	1st-15th	16th-30th	1st-15th	16th-31st	1st-15th	16th-30th
2019	Red	Red	Blue	Yellow	Blue	Yellow	Yellow					
2020	Red	Red	Yellow	Yellow	Yellow	Yellow	Blue	Red	Red	Red	Yellow	Blue
2021	Red	Blue	Red	Red	Red	Red	Red	Blue	Red	Red		
2022	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow	Red	Red	Blue	Yellow	Yellow	
2023	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue		

Cobbs Pond 2020-2023 Cyanobacteria Risk Comparison

	June		July		August		September		October		November	
Year	1st-15th	16th-30th	1st-15th	16th-31st	1st-15th	16th-31st	1st-15th	16th-30th	1st-15th	16th-31st	1st-15th	16th-30th
2020		Blue										
2021	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue		
2022	Yellow	Yellow	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	
2023	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue		

Elbow Pond 2019-2023 Cyanobacteria Risk Comparison

	June		July		August		September		October		November	
Year	1st-15th	16th-30th	1st-15th	16th-31st	1st-15th	16th-31st	1st-15th	16th-30th	1st-15th	16th-31st	1st-15th	16th-30th
2019	Red	Blue	Blue	Blue	Blue	Blue	Blue	Blue				
2020	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue			
2021	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue		
2022	Yellow	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue		
2023	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue		

Griffiths Pond 2020-2023 Cyanobacteria Risk Comparison

	June		July		August		September		October		November	
Year	1st-15th	16th-30th	1st-15th	16th-31st	1st-15th	16th-31st	1st-15th	16th-30th	1st-15th	16th-31st	1st-15th	16th-30th
2020												
2021												
2022												
2023												

Greenland Pond 2019-2023 Cyanobacteria Risk Comparison

	June		July		August		September		October		November	
Year	1st-15th	16th-30th	1st-15th	16th-31st	1st-15th	16th-31st	1st-15th	16th-30th	1st-15th	16th-31st	1st-15th	16th-30th
2019												
2020												
2021												
2022												
2023												

Long Pond 2019-2023 Cyanobacteria Risk Comparison

	June		July		August		September		October		November	
Year	1st-15th	16th-30th	1st-15th	16th-31st	1st-15th	16th-31st	1st-15th	16th-30th	1st-15th	16th-31st	1st-15th	16th-30th
2019												
2020												
2021												
2022												
2023												

Lower Mill Pond 2019-2023 Cyanobacteria Risk Comparison												
	June		July		August		September		October		November	
Year	1st-15th	16th-30th	1st-15th	16th-31st	1st-15th	16th-31st	1st-15th	16th-30th	1st-15th	16th-31st	1st-15th	16th-30th
2019	Red	Red	Yellow	Red	Yellow	Yellow	Yellow	Yellow	Yellow	Red		
2020	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Red	Red	Red	Yellow	Blue
2021	Red	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue		
2022	Blue	Yellow	Yellow	Yellow	Red	Red	Blue	Red	Red	Red	Blue	
2023	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue		

Myricks Pond 2019-2023 Cyanobacteria Risk Comparison												
	June		July		August		September		October		November	
Year	1st-15th	16th-30th	1st-15th	16th-31st	1st-15th	16th-31st	1st-15th	16th-30th	1st-15th	16th-31st	1st-15th	16th-30th
2019				Yellow	Blue	Blue	Blue	Blue	Blue			
2020				Blue	Blue							
2021				Blue	Blue	Blue						
2022	Blue	Blue	Yellow	Yellow	Blue	Yellow	Blue	Blue	Blue	Blue		
2023	Blue	Blue	Blue	Blue	Yellow	Yellow	Blue	Blue	Blue	Blue	Blue	

Owl Pond 2021 -2023 Cyanobacteria Risk Comparison												
	June		July		August		September		October		November	
Year	1st-15th	16th-30th	1st-15th	16th-31st	1st-15th	16th-31st	1st-15th	16th-30th	1st-15th	16th-31st	1st-15th	16th-30th
2021	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	
2022	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	
2023	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	

Pine Pond 2019-2023 Cyanobacteria Risk Comparison												
	June		July		August		September		October		November	
Year	1st-15th	16th-30th	1st-15th	16th-31st	1st-15th	16th-31st	1st-15th	16th-30th	1st-15th	16th-31st	1st-15th	16th-30th
2019												
2020												
2021												
2022												
2023												

Schoolhouse Pond 2019-2023 Cyanobacteria Risk Comparison												
	June		July		August		September		October		November	
Year	1st-15th	16th-30th	1st-15th	16th-31st	1st-15th	16th-31st	1st-15th	16th-30th	1st-15th	16th-31st	1st-15th	16th-30th
2019												
2020												
2021												
2022												
2023												

Seymour Pond 2020-2023 Cyanobacteria Risk Comparison												
	June		July		August		September		October		November	
Year	1st-15th	16th-30th	1st-15th	16th-31st	1st-15th	16th-31st	1st-15th	16th-30th	1st-15th	16th-31st	1st-15th	16th-30th
2020												
2021												
2022												
2023												

Sheep Pond 2019-2023 Cyanobacteria Risk Comparison												
	June		July		August		September		October		November	
Year	1st-15th	16th-30th	1st-15th	16th-31st	1st-15th	16th-31st	1st-15th	16th-30th	1st-15th	16th-31st	1st-15th	16th-30th
2019	Yellow	Yellow	Yellow	Blue	Blue	Yellow	Blue	Blue	Blue			
2020	Blue	Blue	Blue	Blue	Blue	Blue	Yellow	Blue	Blue			
2021	Blue	Yellow	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	
2022	Yellow	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Red	Red	
2023	Blue	Yellow	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	

Slough Pond 2019-2023 Cyanobacteria Risk Comparison												
	June		July		August		September		October		November	
Year	1st-15th	16th-30th	1st-15th	16th-31st	1st-15th	16th-31st	1st-15th	16th-30th	1st-15th	16th-31st	1st-15th	16th-30th
2019	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue			
2020												
2021	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue		
2022	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue		
2023	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue			

Upper Mill Pond 2019-2023 Cyanobacteria Risk Comparison												
	June		July		August		September		October		November	
Year	1st-15th	16th-30th	1st-15th	16th-31st	1st-15th	16th-31st	1st-15th	16th-30th	1st-15th	16th-31st	1st-15th	16th-30th
2019	Red	Red	Yellow	Yellow	Yellow	Yellow	Red	Yellow	Yellow	Red		
2020	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue			
2021	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue		
2022	Yellow	Yellow	Yellow	Yellow	Blue	Blue	Blue	Blue	Blue	Blue	Blue	

2023												
------	--	--	--	--	--	--	--	--	--	--	--	--

Walkers Pond 2019-2023 Cyanobacteria Risk Comparison												
	June		July		August		September		October		November	
Year	1st-15th	16th-30th	1st-15th	16th-31st	1st-15th	16th-31st	1st-15th	16th-30th	1st-15th	16th-31st	1st-15th	16th-30th
2019	Yellow	Yellow	Red	Yellow	Red	Red	Red	Yellow	Yellow	Yellow		
2020	Yellow	Red	Red	Red	Red	Blue	Blue	Blue	Blue	Red	Blue	
2021	Red	Red	Blue	Blue	Blue	Blue	Yellow	Yellow	Blue	Blue		
2022	Yellow	Yellow	Blue	Blue	Blue	Red	Red	Blue	Blue	Blue	Blue	
2023	Yellow	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	Blue	

Appendix 4. Sampling Locations

- Bakers Pond: Dirt boat ramp and parking area off Bakers Pond Rd.
- Blueberry Pond: Neighborhood beach (Private)
- Cliff Pond: Beach in Nickerson State Park
- Cobbs Pond: Channel Way (Private)
- Elbow Pond: Neighborhood landing off Elbow Pond Dr. (Private)
- Greenland Pond: Neighborhood beach off Janelle’s Way (Private)
- Griffiths Pond: Neighborhood landing off Griffith’s Pond Rd
- Long Pond: Town beach off Crowells Bog Rd.
- Lower Mill Pond: Town landing off Mill Pond Dr (Private)
- Myricks Pond: Residence off Barberry Ln. (Private)
- Owl Pond: Cypress Lane (Private)
- Pine Pond: Residence off Pine Pond Rd. (Private)
- Schoolhouse Pond: Town Boat Launch off 6A
- Seymour Pond: Neighborhood beach off Beachwood Dr. (Private)
- Sheep Pond: Town beach and boat ramp off Fishermans Landing Rd
- Slough Pond: Boat Launch off Slough Rd.
- Smalls Pond: Public Beach off Cahoon Rd.
- Upper Mill Pond: Boat ramp off Run Hill Rd
- Walkers Pond: Boat launch off Slough Rd.